

APPENDIX G
ARMY SERVICE UNIQUE DATA DICTIONARY

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX G. ARMY SERVICE UNIQUE DATA DICTIONARY

This appendix provides a data dictionary of the Army Service unique data elements implemented in SORTS.

G.1 AGR_ASGD (UNIT ACTIVE GUARD-RESERVE PERSONNEL ASSIGNED STRENGTH QUANTITY)

- a. Type: Number
- b. Length: 3
- c. Description: This element contains the number of Active Guard-Reserve personnel assigned.
- d. Reported Transaction: ACTGURES set (USMTF) field AGRASGD
- e. Relationships to Other Data Elements:
- f. Table Member: UN_ARMY_STAT_RPT

G.2 ALO (ORGANIZATION AUTHORIZED LEVEL CODE)

- a. Type: Variable Length Character
- b. Length: 1
- c. Description: This element contains a code that indicates the authorized level of the organization.
- d. Reported Transaction: ARMYRPT set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UN_ARMY_STAT_RPT

G.3 APERT (UNIT PERSONNEL TURNOVER PERCENT)

- a. Type: Number
- b. Length: 3
- c. Description: This element contains the personnel turnover percentage.
- d. Reported Transaction: PERSDATA set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UN_ARMY_STAT_RPT

G.4 ARMY_HQ_ID_CD (U.S. ARMY HEADQUARTERS IDENTIFIER CODE)

- a. Type: Variable Length Character
- b. Length: 1
- c. Description: This element contains the Army area code for the unit.
- d. Reported Transaction: ABIDE set(USMTF) field ARMY
- e. Relationships to Other Data Elements:
- f. Table Member: UNIT

G.5 ARMY_STAT_RPT_DT (UNIT ARMY RESOURCES AND TRAINING STATUS REPORT DATE)

- a. Type: Date
- b. Length: N/A
- c. Description: This element contains the date for this report.
- d. Reported Transaction: ARMYRPT set (USMTF) field RICDA
- e. Relationships to Other Data Elements:
- f. Table Member: UN_RPTD_ENVRN_TNG, UN_RPTD_OH_EQ_SHRT
UN_RPTD_SQI_SHRTG, UN_RPTD_NBCEQ_SLVL
UN_RPTD_LIC_SHRTG, UN_RPTD_EQ_RPLCMNT
UN_RPTD_SRPLS_PERS, UN_RPTD_ROUNT_STAT
UN_RPTD_PIE_OR_PCT, UN_NON_DPLYBL_PERS
UN_RPTD_PIE_STAT, UN_CRTCL_EQ_OR_PCT
UN_ARMY_STAT_RPT, UN_RPTD_S4_MSRD_EQ
UN_RPTD_GRD_STRN, UN_RPTD_ASI_SHRTG
UN_RPTD_MOS_SHRTG, ASORTS_USR_STAT

G.6 ARMY_STAT_RPT_TYP (UNIT ARMY RESOURCES AND TRAINING STATUS REPORT TYPE CODE)

- a. Type: Variable Length Character
- b. Length: 3
- c. Description: This element contains the type of report being submitted.
- d. Reported Transaction: ARMYRPT set (USMTF) field
ITEMTYPE
- e. Relationships to Other Data Elements:
- f. Table Member: UN_NON_DPLYBL_PERS, UN_RPTD_MOS_SHRTG
UN_RPTD_ASI_SHRTG, UN_RPTD_SQI_SHRTG
UN_RPTD_LIC_SHRTG, UN_RPTD_PIE_OR_PCT
UN_RPTD_GRD_STRN, UN_RPTD_NBCEQ_SLVL
UN_RPTD_S4_MSRD_EQ, UN_CRTCL_EQ_OR_PCT
UN_RPTD_SRPLS_PERS, UN_RPTD_OH_EQ_SHRT
UN_RPTD_PIE_STAT, UN_RPTD_ROUNT_STAT
UN_RPTD_EQ_RPLCMNT, UN_RPTD_ENVRN_TNG
UN_ARMY_STAT_RPT, ASORTS_USR_STAT

G.7 ASGMT (UNIT ASSIGNMENT CODE)

- a. Type: Variable Length Character
- b. Length: 2
- c. Description: This element contains code that represents the command of assignment for the unit.
- d. Reported Transaction: ABIDE set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UNIT

- G.8 ASI (PERSONNEL ADDITIONAL SKILL IDENTIFIER)
- a. Type: Variable Length Character
 - b. Length: 2
 - c. Description: This element contains the additional skill identifier for the personnel in this line of data.
 - d. Reported Transaction: 2ADDSKIL set (USMTF)
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_ASI_SHRTG
- G.9 ASI_ASGD (UNIT PERSONNEL ADDITIONAL SKILL-IDENTIFIER ASSIGNED STRENGTH QUANTITY)
- a. Type: Number
 - b. Length: 4
 - c. Description: This element contains the number of assigned personnel for this ASI.
 - d. Reported Transaction: 2ADDSKIL set (USMTF) field ASGD
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_ASI_SHRTG
- G.10 ASI_AUTH (UNIT PERSONNEL ADDITIONAL SKILL-IDENTIFIER AUTHORIZED STRENGTH QUANTITY)
- a. Type: Number
 - b. Length: 4
 - c. Description: This element indicates the authorized strength for this ASI.
 - d. Reported Transaction: 2ADDSKIL set (USMTF) field AUTH
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_ASI_SHRTG
- G.11 ASI_REQ (UNIT PERSONNEL ADDITIONAL SKILL-IDENTIFIER REQUIRED STRENGTH QUANTITY)
- a. Type: Number
 - b. Length: 4
 - c. Description: This element contains the required strength for this ASI.
 - d. Reported Transaction: 2ADDSKIL set (USMTF) field REQ
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_ASI_SHRTG
- G.12 ASORTS_RPTD_UIC (ARMY STATUS OF RESOURCES AND TRAINING SYSTEM REPORT UNIT IDENTIFICATION CODE)
- a. Type: Variable Length Character
 - b. Length: 6

- c. Description: This element contains the Unit Identification Code of report.
- d. Reported Transaction: RPTDUIC set (USMTF) field UIC
- e. Relationships to Other Data Elements:
- f. Table Member: ASORTS_NAR_RMK_TXT

G.13 ASORTS_RPT_DT (ARMY STATUS OF RESOURCES AND TRAINING SYSTEM REPORT DATE)

- a. Type: Date
- b. Length: N/A
- c. Description: This element contains the date of this report.
- d. Reported Transaction: ARMYRPT set (USMTF) field RICDA
- e. Relationships to Other Data Elements:
- f. Table Member: ASORTS_NAR_RMK_TXT

G.14 ASORTS_RPT_TYP_CD (ARMY STATUS OF RESOURCES AND TRAINING USMTF REPORT TYPE CODE)

- a. Type: Variable Length Character
- b. Length: 5
- c. Description: This element contains the code for the type of report.
- d. Reported Transaction: ARMYRPT set (USMTF) field ITEMTYPE
- e. Relationships to Other Data Elements:
- f. Table Member: ASORTS_NAR_RMK_TXT

G.15 ASORTS_TEXT_TYP_CD (STANDARD FREE FORM TEXT TYPE CODE)

- a. Type: Variable Length Character
- b. Length: 8
- c. Description: This field contains the value "NARR".
- d. Reported Transaction: N/A
- e. Relationships to Other Data Elements:
- f. Table Member: ASORTS_NAR_RMK_TXT

G.16 ASPER (ASSIGNED STRENGTH PERCENTAGE)

- a. Type: Number
- b. Length: 3
- c. Description: This element contains a percentage computed by dividing the assigned strength by the required MTOE strength.
- d. Reported Transaction: PERSDATA set (USMTF)
- e. Relationships to Other Data Elements: ASRAT
- f. Table Member: UN_ARMY_STAT_RPT

G.17 ASRAT (ASSIGNED STRENGTH PERCENTAGE RATING)

- a. Type: Variable Length Character
- b. Length: 1
- c. Description: This element indicates the rating
calculated using field ASPER.
- d. Reported Transaction: None
- e. Relationships to Other Data Elements: ASPER
- f. Table Member: UN_ARMY_STAT_RPT

G.18 AUTH_DOC_EFCTV_DT (AUTHORIZATION DOCUMENT EFFECTIVE DATE)

- a. Type: Date
- b. Length: N/A
- c. Description: This field identifies the effective date
of the MTOE/TDA.
- d. Reported Transaction: READYSEG set (USMTF) field EDATE
- e. Relationships to Other Data Elements:
- f. Table Member: UN_ARMY_STAT_RPT

G.19 AVNCD (FORSCOM AVIATION UNIT IDENTIFICATION CODE)

- a. Type: Variable Length Character
- b. Length: 1
- c. Description: This element contains the aviation unit
indicator code for the unit.
- d. Reported Transaction: ABIDE set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UNIT

G.20 AVPER (UNIT PERSONNEL AVAILABLE STRENGTH PERCENT)

- a. Type: Number
- b. Length: 3
- c. Description: This element contains the available
strength percent for personnel.
- d. Reported Transaction: PERSDATA set (USMTF)
- e. Relationships to Other Data Elements: AVRAT
- f. Table Member: UN_ARMY_STAT_RPT

G.21 AVRAT (PERSONNEL COMPUTED AVAILABLE STRENGTH PERCENTAGE
RATING CODE)

- a. Type: Variable Length Character
- b. Length: 1
- c. Description: This element contains the rating level for
field AVPER
- d. Reported Transaction: None
- e. Relationships to Other Data Elements: Computed base on

the contents of
AVRAT

f. Table Member: UN_ARMY_STAT_RPT

G.22 AWIS_DB_RCRD_ID (AWIS STANDARD DATABASE RECORD IDENTIFIER)

- a. Type: Variable Length Character
- b. Length: 80
- c. Description: This element contains the AWIS standard database record identifier.
- d. Reported Transaction: N/A
- e. Relationships to Other Data Elements: N/A
- f. Table Member: FREE_FORM_TEXT

G.23 AWIS_TBL_SHRT_NM (AWIS STANDARD DATABASE TABLE SHORT NAME)

- a. Type: Variable Length Character
- b. Length: 18
- c. Description: This element contains the AWIS standard database table short name.
- d. Reported Transaction: N/A
- e. Relationships to Other Data Elements: N/A
- f. Table Member: FREE_FORM_TEXT

G.24 BR (UNIT PARENT BRANCH CODE)

- a. Type: Variable Length Character
- b. Length: 2
- c. Description: This element contains the derived branch code for this unit.
- d. Reported Transaction: None
- e. Relationships to Other Data Elements: Derived from either SRC or UTC depending on the type of unit and the reference table SRC_UTC_XREF.
- f. Table Member: UNIT

G.25 C5 (UNIT SUBORDINATE C5-RATED QUANTITY)

- a. Type: Number
- b. Length: 2
- c. Description: This element contains the number of subordinate units assigned a C-5 level.
- d. Reported Transaction: READYSEG set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UN_ARMY_STAT_RPT

G.26 CCNUM (AUTHORIZATION DOCUMENT COMMAND CONTROL NUMBER)

- a. Type: Variable Length Character
- b. Length: 6
- c. Description: This field identifies the unit's command and control number except for composite reports.
- d. Reported Transaction: READYSEG set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UN_ARMY_STAT_RPT

G.27 COHORT_E4 (UNIT COHORT E4-AS-E5 SENIOR GRADE QUANTITY)

- a. Type: Number
- b. Length: 2
- c. Description: This field shows the number of COHORT E4 personnel that are counted as E5's.
- d. Reported Transaction: 2PSPER set (USMTF) field COHORTE4
- e. Relationships to Other Data Elements:
- f. Table Member: UN_ARMY_STAT_RPT

G.28 COMPO (UNIT DUTY STATUS COMPONENT CODE)

- a. Type: Variable Length Character
- b. Length: 1
- c. Description: This field contains the Army component for the reported unit.
- d. Reported Transaction: ABIDE set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UNIT

G.29 CRTCL_EQ_ITEM_LIN (UNIT REPORTED CRITICAL EQUIPMENT ITEM LINE NUMBER)

- a. Type: Variable Length Character
- b. Length: 6
- c. Description: This element contains the line item number of the equipment or pacing item for this report.
- d. Reported Transaction: 2ERCERRT set (USMTF) field ERCALIN
- e. Relationships to Other Data Elements:
- f. Table Member: UN_CRTCL_EQ_OR_PCT

G.30 CRTCL_EQ_NM (UNIT REPORTED CRITICAL EQUIPMENT ITEM)

- a. Type: Variable Length Character
- b. Length: 24
- c. Description: The field contains the equipment name for

d. Reported Transaction: 2ERCERT set (USMTF) field
CERCANAM

e. Relationships to Other Data Elements:

f. Table Member: UN CRTCL EO OR PCT

- a. Type: Number
- b. Length: 3
- c. Description: This field contains the equipment percentage level for this entry.
- d. Reported Transaction: 2ERCERRT set (USMTF) field ERPCT
- e. Relationships to Other Data Elements:
- f. Table Member: UN CRTCL EO OR PCT

- a. Type: Variable Length Character
- b. Length: 5
- c. Description: This element contains the code that indicates the Department of the Army Master Priority List for allocation of personnel and equipment for the reported unit.
- d. Reported Transaction: ABIDE set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UNIT

- a. Type: Number
- b. Length: 3
- c. Description: This field contains the number of lines at level 1.
- d. Reported Transaction: EQOHDATA set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UN ARMY STAT RPT

- a. Type: Number
- b. Length: 3
- c. Description: This field contains the number of lines at level 2.
- d. Reported Transaction: EQOHDATA set (USMTF)

- e. Relationships to Other Data Elements:
 - f. Table Member: UN_ARMY_STAT_RPT
- G.35 EHRD3 (UNIT REPORTED EQUIPMENT READINESS CODE "A" MEASURED RESOURCE LEVEL THREE)
- a. Type: Number
 - b. Length: 3
 - c. Description: This field contains the number of lines at level 3.
 - d. Reported Transaction: EQOHDATA set (USMTF)
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_ARMY_STAT_RPT
- G.36 EHRD4 (UNIT REPORTED EQUIPMENT READINESS CODE "A" MEASURED RESOURCE LEVEL FOUR)
- a. Type: Number
 - b. Length: 3
 - c. Description: This field contains the number of lines at level 4.
 - d. Reported Transaction: EQOHDATA set (USMTF)
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_ARMY_STAT_RPT
- G.37 EHRDBC1 (UNIT REPORTED EQUIPMENT READINESS CODE "B" AND "C" MEASURED RESOURCE LEVEL ONE)
- a. Type: Number
 - b. Length: 3
 - c. Description: This element contains the number of lines at level 1.
 - d. Reported Transaction: LABELID/GENTEXT sets (USMTF) with LABEL EHRDN.
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_ARMY_STAT_RPT
- G.38 EHRDBC2 (UNIT REPORTED EQUIPMENT READINESS CODE "B" AND "C" MEASURED RESOURCE LEVEL TWO)
- a. Type: Number
 - b. Length: 3
 - c. Description: This element contains the number of lines at level 2.
 - d. Reported Transaction: LABELID/GENTEXT sets (USMTF) with LABEL EHRDN.
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_ARMY_STAT_RPT

G.39 EHRDBC3 (UNIT REPORTED EQUIPMENT READINESS CODE "B" AND "C"
MEASURED RESOURCE LEVEL THREE)

- a. Type: Number
- b. Length: 3
- c. Description: This element contains the number of lines
at level 3.
- d. Reported Transaction: LABELID/GENTEXT sets (USMTF) with
LABEL EHRDN.
- e. Relationships to Other Data Elements:
- f. Table Member: UN_ARMY_STAT_RPT

G.40 EHRDBC4 (UNIT REPORTED EQUIPMENT READINESS CODE "B" AND "C"
MEASURED RESOURCE LEVEL FOUR)

- a. Type: Number
- b. Length: 3
- c. Description: This element contains the number of lines
at level 4.
- d. Reported Transaction: LABELID/GENTEXT sets (USMTF) with
LABEL EHRDN.
- e. Relationships to Other Data Elements:
- f. Table Member: UN_ARMY_STAT_RPT

G.41 EHRDN (UNIT REPORTED EQUIPMENT READINESS CODE "A" TOTAL ON-
HAND QUANTITY)

- a. Type: Number
- b. Length: 3
- c. Description: This element contains the number of
reportable equipment line items.
- d. Reported Transaction: EQOHDATA set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UN_ARMY_STAT_RPT

G.42 EHRDNBC (UNIT REPORTED EQUIPMENT READINESS CODE "B" AND "C"
TOTAL ON-HAND QUANTITY)

- a. Type: Number
- b. Length: 3
- c. Description: This element contains the number of
reportable equipment line items.
- d. Reported Transaction: LABELID/GENTEXT set (USMTF) with
LABEL EHRDN.
- e. Relationships to Other Data Elements:
- f. Table Member: UN_ARMY_STAT_RPT

G.43 ELSEQ (UNIT ASSIGNED ELEMENT SEQUENCE NUMBER)

- a. Type: Variable Length Character
- b. Length: 2
- c. Description: This element contains positions 5 and 6 of the field TPSN.
- d. Reported Transaction: None
- e. Relationships to Other Data Elements: TPSN
- f. Table Member: UNIT

G.44 ENVRNMNTL_TNG_CAT (UNIT REPORTED ENVIRONMENTAL TRAINING CATEGORY IDENTIFIER)

- a. Type: Variable Length Character
- b. Length: 7
- c. Description: This element contains the category identifier for environmental training.
- d. Reported Transaction: LABELID RICDA set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UN_RPTD_ENVRN_TNG

G.45 ENVRNMNTL_TNG_LVL (UNIT REPORTED ENVIRONMENTAL TRAINING STATUS LEVEL CODE)

- a. Type: Number
- b. Length: 1
- c. Description: This element contains the training status level code for environmental training.
- d. Reported Transaction: LABELID RICDA set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UN_RPTD_ENVRN_TNG

G.46 ENVRNMNTL_TNG_RMK (UNIT REPORTED ENVIRONMENTAL TRAINING STATUS REMARK TEXT)

- a. Type: LONG
- b. Length: 1-5000
- c. Description: This element contains the text remark about the associated training data.
- d. Reported Transaction: LABELID RICDA set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UN_RPTD_ENVRN_TNG

G.47 EQUIP_REDIST_GEO (EQUIPMENT REDISTRIBUTION GEOLOCATION CODE)

- a. Type: Variable Length Character
- b. Length: 4
- c. Description: This element contains the equipment redistribution geographical location code.
- d. Reported Transaction: The source of this element could not be determined.

- e. Relationships to Other Data Elements:
 - f. Table Member: UNIT
- G.48 EQ_NON_OR_RSN_CD (UNIT REPORTED CRITICAL EQUIPMENT ITEM NON-OPERATIONALLY READY REASON CODE)
- a. Type: Variable Length Character
 - b. Length: 1
 - c. Description: This element contains the primary problem associated with this data.
 - d. Reported Transaction: 2ERCERRT set (USMTF) field PROBLEM
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_CRTCL_EQ_OR_PCT
- G.49 ERC (EQUIPMENT READINESS CODE)
- a. Type: Variable Length Character
 - b. Length: 1
 - c. Description: This element contains the letter "A".
 - d. Reported Transaction: None
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_S4_MSRD_EQ UN_CRTCL_EQ_OR_PCT UN_RPTD_OH_EQ_SHRT
- G.50 FEM_ASGD (UNIT REPORTED FEMALE PERSONNEL ASSIGNED QUANTITY)
- a. Type: Number
 - b. Length: 3
 - c. Description: This element contains the number of female personnel assigned.
 - d. Reported Transaction: FEMALE set (USMTF) field FEMASGD
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_ARMY_STAT_RPT
- G.51 FEM_PREG (UNIT REPORTED PREGNANT FEMALE PERSONNEL ASSIGNED QUANTITY)
- a. Type: Number
 - b. Length: 3
 - c. Description: This element contains the number of pregnant females assigned.
 - d. Reported Transaction: FEMALE set (USMTF) field FEMPREG
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_ARMY_STAT_RPT
- G.52 FORCE_FLD (UNIT REGISTRATION CATEGORY)
- a. Type: Variable Length Character

- b. Length: 4
- c. Description: This element contains a code to indicate the type of unit.
- d. Reported Transaction: None
- e. Relationships to Other Data Elements: UIC, UDC
- f. Table Member: UNIT

G.53 FREE_FORM_TEXT (FREE FORM TEXT)

- a. Type: LONG
- b. Length: 1-5000
- c. Description: This element contains free form text.
- d. Reported Transaction: NARR set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: ASORTS_NAR_RMK_TXT FREE_FORM_TEXT

G.54 FREE_TEXT_SJBCT_ID (FREE TEXT SUBJECT IDENTIFIER)

- a. Type: Variable Length Character
- b. Length: 30
- c. Description: This element contains the free text subject identifier.
- d. Reported Transaction: LABELID set (USMTF)
- e. Relationships to Other Data Elements: N/A
- f. Table Member: FREE_FORM_TEXT

G.55 FUAC (UNIT FUNCTIONAL-AREA CODE)

- a. Type: Variable Length Character
- b. Length: 1
- c. Description: This element contains a code that indicates the defined functional area for which the unit identification code assignment and registration is requested.
- d. Reported Transaction: ABIDE set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UNIT

G.56 GRADE_ASGD (UNIT GRADE ASSIGNED STRENGTH QUANTITY)

- a. Type: Number
- b. Length: 5
- c. Description: This element contains the assigned strength for this data.
- d. Reported Transaction: 2PSPER set (USMTF) field ASGD
- e. Relationships to Other Data Elements:
- f. Table Member: UN_RPTD_GRD_STRN

G.57 GRADE_AUTH (UNIT GRADE AUTHORIZED STRENGTH QUANTITY)

- a. Type: Number
- b. Length: 5
- c. Description: This element contains the authorized strength for this data.
- d. Reported Transaction: 2PSPER set (USMTF) field AUTH
- e. Relationships to Other Data Elements:
- f. Table Member: UN_RPTD_GRD_STRN

G.58 GRADE_AVAIL (UNIT GRADE AVAILABLE STRENGTH QUANTITY)

- a. Type: Number
- b. Length: 5
- c. Description: This element contains the available strength for this data.
- d. Reported Transaction: 2PSPER set (USMTF) field AVAIL
- e. Relationships to Other Data Elements:
- f. Table Member: UN_RPTD_GRD_STRN

G.59 GRADE_REQ (UNIT GRADE REQUIRED STRENGTH QUANTITY)

- a. Type: Number
- b. Length: 5
- c. Description: This element contains the required strength for this data.
- d. Reported Transaction: 2PSPER set (USMTF) field REQ
- e. Relationships to Other Data Elements:
- f. Table Member: UN_RPTD_GRD_STRN

G.60 HO_LOCATION (ORGANIZATION HOME-LOCATION IDENTIFIER)

- a. Type: Variable Length Character
- b. Length: 12
- c. Description: This element contains the home location for the unit.
- d. Reported Transaction: None
- e. Relationships to Other Data Elements: HOGEO
- f. Table Member: UNIT

G.61 IFREQ (ORGANIZATION INCREASED REPORT FREQUENCY IDENTIFIER)

- a. Type: Variable Length Character
- b. Length: 1
- c. Description: This element contains the identifier for increased report frequency.
- d. Reported Transaction: This source of this data could not be determined.
- e. Relationships to Other Data Elements:
- f. Table Member: UNIT

G.62 ITAADS (THE ARMY AUTHORIZATION DOCUMENTS SYSTEM INSTALLATION CODE)

- a. Type: Variable Length Character
- b. Length: 2
- c. Description: This element contains the code that identifies the installation that is designated to have ITAADS capability for the reported unit.
- d. Reported Transaction: ABIDE set (USMTF) field ITAAD
- e. Relationships to Other Data Elements:
- f. Table Member: UNIT

G.63 ITAEM (TRAINING MATERIEL AVAILABILITY IMPACT CODE)

- a. Type: Variable Length Character
- b. Length: 1
- c. Description: This element contains the code for the availability of training materiel indicator.
- d. Reported Transaction: TRAINDAT set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UN_ARMY_STAT_RPT

G.64 ITAFL (TRAINING FUEL AVAILABILITY IMPACT CODE)

- a. Type: Variable Length Character
- b. Length: 1
- c. Description: This element contains the code for the availability of fuel.
- d. Reported Transaction: TRAINDAT set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UN_ARMY_STAT_RPT

G.65 ITAFT (TRAINING FUND AVAILABILITY IMPACT CODE)

- a. Type: Variable Length Character
- b. Length: 1
- c. Description: This element contains the code for the availability of funds for training.
- d. Reported Transaction: TRAINDAT set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UN_ARMY_STAT_RPT

G.66 ITAQL (TRAINING QUALIFIED LEADER AVAILABILITY IMPACT CODE)

- a. Type: Variable Length Character
- b. Length: 1
- c. Description: This element contains the code for the

availability of qualified leaders for training.

- d. Reported Transaction: TRAINDAT set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UN_ARMY_STAT_RPT

G.67 ITATA (TRAINING AMMUNITION AVAILABILITY IMPACT CODE)

- a. Type: Variable Length Character
- b. Length: 1
- c. Description: This element contains the code for the availability of ammunition for training.
- d. Reported Transaction: TRAINDAT set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UN_ARMY_STAT_RPT

G.68 ITATF (TRAINING FACILITY ACCESSIBILITY IMPACT CODE)

- a. Type: Variable Length Character
- b. Length: 1
- c. Description: This element contains the code for the availability of training areas or facilities.
- d. Reported Transaction: TRAINDAT set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UN_ARMY_STAT_RPT

G.69 ITATM (TRAINING TIME AVAILABILITY IMPACT CODE)

- a. Type: Variable Length Character
- b. Length: 1
- c. Description: This element contains the code for the availability of time/flying hours.
- d. Reported Transaction: TRAINDAT set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UN_ARMY_STAT_RPT

G.70 ITAVS (TRAINING ASSIGNED STRENGTH SHORTFALL IMPACT CODE)

- a. Type: Variable Length Character
- b. Length: 1
- c. Description: This element contains the code for the assigned strength shortfall indicator.
- d. Reported Transaction: TRAINDAT set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UN_ARMY_STAT_RPT

G.71 ITAVTRNG (UNIT REPORTED AVIATOR TRAINING STATUS LEVEL CODE)

- a. Type: Variable Length Character
- b. Length: 1
- c. Description: This element contains the code for the status of aviator training indicator.
- d. Reported Transaction: TRAINDAT set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UN_ARMY_STAT_RPT

G.72 ITSDR (TRAINING SPECIAL DUTY IMPACT CODE)

- a. Type: Variable Length Character
- b. Length: 1
- c. Description: This element contains the code for the special duty requirements indicator.
- d. Reported Transaction: TRAINDAT set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UN_ARMY_STAT_RPT

G.73 LIC (LOGISTIC INDICATOR CODE)

- a. Type: Variable Length Character
- b. Length: 1
- c. Description: This element contains the code that indicates the logistics circumstances for the reported unit.
- d. Reported Transaction: ABIDE set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UNIT

G.74 LVL1_ADTNL_TNG_DYS (UNIT REPORTED LEVEL-1 ADDITIONAL TRAINING DAYS REQUIRED QUANTITY)

- a. Type: Number
- b. Length: 2
- c. Description: This element contains the quantity of Level-1 additional training days required.
- d. Reported Transaction: LABELID RICDA set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UN_RPTD_ENVRN_TNG

G.75 MAC (ARMY MAJOR COMMAND IDENTIFIER)

- a. Type: Variable Length Character
- b. Length: 10
- c. Description: This element contains the acronym of the reported unit's major Army command.
- d. Reported Transaction: ABIDE set (USMTF) field MACOM
- e. Relationships to Other Data Elements:
- f. Table Member: UNIT

G.76 MAE (UNIT COMMANDER MISSION ACCOMPLISHMENT ESTIMATE PERCENTAGE)

- a. Type: Number
- b. Length: 3
- c. Description: This element contains the mission accomplishment estimate percentage.
- d. Reported Transaction: READYSEG set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UN_ARMY_STAT_RPT

G.77 MOS (MILITARY-CIVILIAN OCCUPATIONAL SPECIALTY CODE)

- a. Type: Variable Length Character
- b. Length: 5
- c. Description: This element contains the military occupational specialty code for the reported data.
- d. Reported Transaction: 2RQPER set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UN_RPTD_MOS_SHRTG

G.78 MOS_GRD_CD (UNIT PERSONNEL MOS-GRADE CODE)

- a. Type: Variable Length Character
- b. Length: 2
- c. Description: This element contains the grade of personnel required.
- d. Reported Transaction: 2RQPER set (USMTF) field GRADE
- e. Relationships to Other Data Elements:
- f. Table Member: UN_RPTD_MOS_SHRTG

G.79 MOS_P3_ADTNL_PERSL (UNIT REPORTED MOS-GRADE STRENGTH PERSONNEL LEVEL THREE ADDITIONAL PERSONNEL)

- a. Type: Number
- b. Length: 3
- c. Description: This element contains the quantity of personnel required.
- d. Reported Transaction: 2RQPER set (USMTF) field REQ
- e. Relationships to Other Data Elements:
- f. Table Member: UN_RPTD_MOS_SHRTG

G.80 MSPER (UNIT PERSONNEL AVAILABLE MOS-TRAINED PERCENT)

- a. Type: Number
- b. Length: 3
- c. Description: This element contains the available MOS trained percentage of personnel.

- d. Reported Transaction: PERSDATA set (USMTF)
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_ARMY_STAT_RPT
- G.81 MSRAT (PERSONNEL COMPUTED AVAILABLE MOS TRAINED PERCENTAGE RATING CODE)
- a. Type: Variable Length Character
 - b. Length: 1
 - c. Description: This element contains the computed available MOS trained rating code.
 - d. Reported Transaction: None
 - e. Relationships to Other Data Elements: Computed from MSPER
 - f. Table Member: UN_ARMY_STAT_RPT
- G.82 NBC_EQ_CAT_ID (UNIT REPORTED ON-HAND NBC EQUIPMENT SHORTAGE CATEGORY IDENTIFIER)
- a. Type: Variable Length Character
 - b. Length: 5
 - c. Description: This element contains the NBC equipment shortage category identifier.
 - d. Reported Transaction: LABELID set with LABEL:ITAEM (USMTF)
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_NBCEQ_SLVL
- G.83 NBC_EQ_CAT_S_LVL (UNIT REPORTED ON-HAND NBC EQUIPMENT CATEGORY MEASURED RESOURCE LEVEL CATEGORY)
- a. Type: Number
 - b. Length: 1
 - c. Description: This element contains the category level for NBC measured equipment.
 - d. Reported Transaction: LABELID set with LABEL:ITAEM (USMTF)
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_NBCEQ_SLVL
- G.84 NON_DPLYBL_PER_QTY (UNIT REPORTED NON-DEPLOYABLE PERSONNEL QUANTITY)
- a. Type: Number
 - b. Length: 2
 - c. Description: This element contains the quantity of non-deployable personnel.
 - d. Reported Transaction: LABELID AVAIL set (USMTF) COUNT
 - e. Relationships to Other Data Elements:

f. Table Member: UN_NON_DPLYBL_PERS

G.85 NON_DPLYBL_RSN_CD (UNIT NON-DEPLOYABLE PERSONNEL REASON CODE)

- a. Type: Variable Length Character
- b. Length: 2
- c. Description: This element contains the reason for the non-deployable personnel.
- d. Reported Transaction: LABELID AVAIL set (USMTF) field RESND
- e. Relationships to Other Data Elements:
- f. Table Member: UN_NON_DPLYBL_PERS

G.86 NRDY (FORSCOM NATO READINESS CODE)

- a. Type: Variable Length Character
- b. Length: 1
- c. Description: This element contains the NATO readiness code for the reported unit.
- d. Reported Transaction: ABIDE set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UNIT

G.87 OBFC (FORCE OBJECTIVE CODE)

- a. Type: Variable Length Character
- b. Length: 2
- c. Description: This element contains the code for force objective.
- d. Reported Transaction: The source of this element could not be determined.
- e. Relationships to Other Data Elements:
- f. Table Member: UNIT

G.88 ODATE (ORGANIZATON STATUS CHANGE CALENDAR DATE)

- a. Type: Date
- b. Length: N/A
- c. Description: This element contains the effective date of the organization's status change.
- d. Reported Transaction: ABIDE set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UNIT

G.89 OESTS (ORGANIZATION STATUS CODE)

- a. Type: Variable Length Character
- b. Length: 1

- c. Description: This element contains the organization status code that represents the current status of the reported unit.
- d. Reported Transaction: ABIDE set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UNIT

G.90 ORG_ACTV_DSG (ORGANIZATION ORIGINATING ACTIVITY DESCRIPTION)

- a. Type: Variable Length Character
- b. Length: 25
- c. Description: This element contains the organization originating activity description.
- d. Reported Transaction: The source of this element could not be determined.
- e. Relationships to Other Data Elements:
- f. Table Member: UNIT

G.91 PACING (FORSCOM PACING ITEM UNIT IDENTIFICATION CODE)

- a. Type: Variable Length Character
- b. Length: 11
- c. Description: This element contains the pacing item unit indicator code for the reported unit.
- d. Reported Transaction: ABIDE set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UNIT

G.92 PAOD (UNIT PLANNED ACTIVATION-ORGANIZATION CODE)

- a. Type: Date
- b. Length: N/A
- c. Description: This element contains the activation date for the plan.
- d. Reported Transaction: None
- e. Relationships to Other Data Elements: Oplan activation date
- f. Table Member: UNIT

G.93 PCNG_ITEM_AUTH_QTY (UNIT EQUIPMENT PACING ITEM AUTHORIZED QUANTITY)

- a. Type: Number
- b. Length: 3
- c. Description: This element contains the number of pacing items authorized.
- d. Reported Transaction: 2PIESTAT set (USMTF) field PIAUT
- e. Relationships to Other Data Elements:
- f. Table Member: UN_RPTD_PIE_STAT

G.94 PCNG_ITEM_EQ_LIN (UNIT REPORTED PACING ITEM EQUIPMENT LINE
ITEM NUMBER)

- a. Type: Variable Length Character
- b. Length: 6
- c. Description: This element contains the pacing item line
item number.
- d. Reported Transaction: 2PIERRAT set (USMTF) field PILIN
- e. Relationships to Other Data Elements:
- f. Table Member: UN_RPTD_PIE_OR_PCT UN_RPTD_PIE_STAT

G.95 PCNG_ITEM_EQ_NM (UNIT REPORTED PACING ITEM EQUIPMENT NAME)

- a. Type: Variable Length Character
- b. Length: 24
- c. Description: This element contains the name of the
pacing item.
- d. Reported Transaction: 2PIERRAT set (USMTF) field PINAME
- e. Relationships to Other Data Elements:
- f. Table Member: UN_RPTD_PIE_OR_PCT

G.96 PCNG_ITEM_OH_QTY (UNIT REPORTED PACING ITEM EQUIPMENT ON-
HAND QUANTITY)

- a. Type: Number
- b. Length: 3
- c. Description: This element contains the quantity of
pacing item on hand.
- d. Reported Transaction: 2PIESTAT set (USMTF) field PIOH
- e. Relationships to Other Data Elements:
- f. Table Member: UN_RPTD_PIE_STAT

G.97 PCNG_ITEM_OR_PCTG (UNIT REPORTED PACING EQUIPMENT
OPERATIONAL READINESS PERCENTAGE)

- a. Type: Number
- b. Length: 3
- c. Description: This element contains the equipment
operational percentage of the pacing item.
- d. Reported Transaction: 2PIERRAT set (USMTF) field
PIEQRPT
- e. Relationships to Other Data Elements:
- f. Table Member: UN_RPTD_PIE_OR_PCT

G.98 PCNG_ITEM_REQD_QTY (UNIT EQUIPMENT PACING ITEM REQUIRED
QUANTITY)

- a. Type: Number
- b. Length: 3

- c. Description: This element contains the quantity of
pacing item required.
 - d. Reported Transaction: 2PIESTAT set (USMTF) field PIREQ
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_PIE_STAT
- G.99 PCTBEDDP (MEDICAL UNIT REPORTED DEPLOYABLE OPERATIONAL BED
PERCENTAGE)
- a. Type: Number
 - b. Length: 3
 - c. Description: This element contains the percentage of
operational beds deployable.
 - d. Reported Transaction: READYSEG set (USMTF)
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_ARMY_STAT_RPT
- G.100 PERAT (UNIT MISSION CAPABLE ON-HAND EQUIPMENT PERCENTAGE
READINESS RATING CODE)
- a. Type: Variable Length Character
 - b. Length: 1
 - c. Description: This element contains the computed mission
capable on-hand equipment percentage
readiness rating code.
 - d. Reported Transaction: None
 - e. Relationships to Other Data Elements: PERRY
 - f. Table Member: UN_ARMY_STAT_RPT
- G.101 PERL_AS_OF_DT (POMCUS UNIT PREPOSITIONED EQUIPMENT
REQUIREMENTS LIST REFERENCE DATE)
- a. Type: Date
 - b. Length: N/A
 - c. Description: This element contains the PERL as of date
when making a NATO contingency report.
 - d. Reported Transaction: ESRAT set (USMTF) field PERLASOF
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_ARMY_STAT_RPT
- G.102 PERRY (EQUIPMENT OPERATIONAL READY-RATE PERCENT)
- a. Type: Number
 - b. Length: 3
 - c. Description: This element contains the percentage of on
hand equipment mission capable.
 - d. Reported Transaction: EQMCRDAT set (USMTF)
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_ARMY_STAT_RPT

- G.103 PERSL_GRD_RNG_CD (UNIT PERSONNEL GRADE RANGE CODE)
- a. Type: Variable Length Character
 - b. Length: 4
 - c. Description: This element contains the grade range code for personnel.
 - d. Reported Transaction: 2PSPER set (USMTF) field GRADE
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_GRD_STRN
- G.104 PIDD (UNIT PLANNED INACTIVATION-DISESTABLISHMENT SCHEDULE CALENDAR DATE)
- a. Type: Date
 - b. Length: N/A
 - c. Description: This element contains the planned inactivation-disestablishment schedule date for the reported unit.
 - d. Reported Transaction: This element is reported via tape.
 - e. Relationships to Other Data Elements:
 - f. Table Member: UNIT
- G.105 PIRAT (EQUIPMENT LOWEST PACING ITEM READINESS IDENTIFIER)
- a. Type: Variable Length Character
 - b. Length: 1
 - c. Description: This element contains the C-level for the lowest pacing item.
 - d. Reported Transaction: EQOHDATA set (USMTF)
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_ARMY_STAT_RPT
- G.106 PIRATE (UNIT REQUIRED EQUIPMENT PACING ITEM MISSION CAPABLE PERCENTAGE READINESS)
- a. Type: Variable Length Character
 - b. Length: 1
 - c. Description: This element con
 - d. Reported Transaction: DARUMS set (USMTF)
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_ARMY_STAT_RPT
- G.107 PI EMC (EQUIPMENT PACING ITEM MISSION CAPABLE PERCENT)
- a. Type: Number
 - b. Length: 3
 - c. Description: This element contains the percentage of on

- hand pacing items mission capable.
 - d. Reported Transaction: EQMCRDAT set (USMTF) field PIEMC
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_ARMY_STAT_RPT
- G.108 PLGEO (UNIT PLANNED GEOLOCATION CODE)
- a. Type: Variable Length Character
 - b. Length: 4
 - c. Description: This element contains the code for the base, station, port, city, or other place where the reported unit is located or is planning to be located.
 - d. Reported Transaction: ABIDE set (USMTF)
 - e. Relationships to Other Data Elements:
 - f. Table Member: UNIT
- G.109 PL_LOCATION (UNIT PLANNED-LOCATION IDENTIFIER)
- a. Type: Variable Length Character
 - b. Length: 12
 - c. Description: This element contains the planned location identifier.
 - d. Reported Transaction: None
 - e. Relationships to Other Data Elements: PLGEO
 - f. Table Member: UNIT
- G.110 POMCUS_ID_CD (UNIT POMCUS IDENTIFICATION CODE)
- a. Type: Variable Length Character
 - b. Length: 3
 - c. Description: This element contains the unit POMCUS identification code.
 - d. Reported Transaction: The source of this element could not be determined.
 - e. Relationships to Other Data Elements:
 - f. Table Member: UNIT
- G.111 POMCUS_UNIT_S_LVL (POMCUS UNIT TOTAL ON-HAND EQUIPMENT MEASURED RESOURCE LEVEL CODE)
- a. Type: Number
 - b. Length: 1
 - c. Description: This element provides the C-level for NATO contingency reports if all CONUS and POMCUS equipment were considered.
 - d. Reported Transaction: ESRAT set (USMTF) field PERL
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_ARMY_STAT_RPT

- G.112 PPA (ORGANIZATION PERSINS-PROCESSING-ACTIVITY CODE)
- a. Type: Variable Length Character
 - b. Length: 2
 - c. Description: This field contains the code that identifies the automatic data processing activity that operates the Army Personnel Information System for the reported unit.
 - d. Reported Transaction: ABIDE set (USMTF)
 - e. Relationships to Other Data Elements:
 - f. Table Member: UNIT
- G.113 PROFIS_AVAIL (UNIT MEDICAL PROFESSIONAL OFFICER FILLER PERSONNEL AVAILABLE QUANTITY)
- a. Type: Number
 - b. Length: 2
 - c. Description: This element contains the number of professional officer fillers available.
 - d. Reported Transaction: PROFIS set (USMTF) field PROFAVAL
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_ARMY_STAT_RPT
- G.114 PROFIS_REQ (UNIT MEDICAL PROFESSIONAL OFFICER FILLER PERSONNEL REQUIRED QUANTITY)
- a. Type: Number
 - b. Length: 2
 - c. Description: This element contains the number of professional officer fillers required.
 - d. Reported Transaction: PROFIS set (USMTF) field PROFREQ
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_ARMY_STAT_RPT
- G.115 PR_LOCATION (ORGANIZATION PRESENT LOCATION IDENTIFIER)
- a. Type: Variable Length Character
 - b. Length: 12
 - c. Description: This element contains the present location identifier of the reported unit.
 - d. Reported Transaction: None
 - e. Relationships to Other Data Elements: PRGEO
 - f. Table Member: UNIT
- G.116 PSRAT (UNIT ON-HAND EQUIPMENT PACING ITEM MISSION CAPABLE PERCENTAGE READINESS)
- a. Type: Variable Length Character

- b. Length: 1
- c. Description: Percentage of required pacing items mission capable rating.
- d. Reported Transaction: None
- e. Relationships to Other Data Elements: None. The field PI_ES is no longer being reported. This field cannot be calculated.
- f. Table Member: UN_ARMY_STAT_RPT

G.117 PUID (UNIT PARENT IDENTIFIER)

- a. Type: Variable Length Character
- b. Length: 1
- c. Description: This element contains the code for the reported unit's parent unit.
- d. Reported Transaction: ARMYRPT set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UN_ARMY_STAT_RPT

G.118 RECORD_CLASSN_CD (RECORD SECURITY CLASSIFICATION)

- a. Type: Variable Length Character
- b. Length: 1
- c. Description: This element contains the classification for the data contained in the associated table.
- d. Reported Transaction: ARMYRPT set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: ASORTS_NAR_RMK_TXT, FREE_FORM_TEXT UNIT
UN_ARMY_STAT_RPT, UN_CRTCL_EQ_OR_PCT
UN_NON_DPLYBL_PERS, UN_RPTD_ASI_SHRTG
UN_RPTD_ENVRN_TNG, UN_RPTD_EQ_RPLCMNT
UN_RPTD_GRD_STRN, UN_RPTD_LIC_SHRTG
UN_RPTD_MOS_SHRTG, UN_RPTD_NBCEQ_SLVL
UN_RPTD_OH_EQ_SHRT, UN_RPTD_PIE_OR_PCT
UN_RPTD_PIE_STAT, UN_RPTD_ROUNT_STAT
UN_RPTD_S4_MSRD_EQ, UN_RPTD_SQI_SHRTG
UN_RPTD_SRPLS_PERS, ASORTS_USR_STAT, UNIT

G.119 ROBCO (UNIT READINESS OBJECTIVE CODE)

- a. Type: Variable Length Character
- b. Length: 4
- c. Description: This element contains the requirement objective code for the reported unit.
- d. Reported Transaction: ABIDE set (USMTF)

- e. Relationships to Other Data Elements:
 - f. Table Member: UNIT
- G.120 ROUNT_COMP_EOH (UNIT ROUNDOUT COMPOSITE REPORT EQUIPMENT ON-HAND C-LEVEL CODE)
- a. Type: Variable Length Character
 - b. Length: 1
 - c. Description: This element contains the code for the composite unit equipment on hand category level.
 - d. Reported Transaction: ROUNDOUT set (USMTF) field COMPEOH
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_ROUNT_STAT
- G.121 ROUNT_COMP_ER (UNIT ROUNDOUT COMPOSITE REPORT EQUIPMENT READINESS C-LEVEL CODE)
- a. Type: Variable Length Character
 - b. Length: 1
 - c. Description: This element contains the composite unit personnel category level code.
 - d. Reported Transaction: ROUNDOUT set (USMTF) field COMPER
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_ROUNT_STAT
- G.122 ROUNT_COMP_OVAL (UNIT ROUNDOUT COMPOSITE REPORT OVERALL C-LEVEL CODE)
- a. Type: Variable Length Character
 - b. Length: 1
 - c. Description: This element contains the composite unit overall category level code.
 - d. Reported Transaction: ROUNDOUT set (USMTF) field COMPOVAL
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_ROUNT_STAT
- G.123 ROUNT_COMP_PER (UNIT ROUNDOUT COMPOSITE REPORT PRESONNEL C-LEVEL CODE)
- a. Type: Variable Length Character
 - b. Length: 1
 - c. Description: This element contains the composite unit personnel category level code.
 - d. Reported Transaction: ROUNDOUT set (USMTF) field COMPPER
 - e. Relationships to Other Data Elements: N/A

- f. Table Member: UN_RPTD_ROUNT_STAT
- G.124 ROUNT_COMP_TR (UNIT ROUNDOUT COMPOSITE REPORT TRAINING READINESS C-LEVEL CODE)
- a. Type: Variable Length Character
 - b. Length: 1
 - c. Description: This element contains the composite unit training category level code.
 - d. Reported Transaction: ROUNDOUT set (USMTF) field COMPTR
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_ROUNT_STAT
- G.125 ROUNT_EOH (UNIT ROUNDOUT EQUIPMENT ON-HAND C-LEVEL CODE)
- a. Type: Variable Length Character
 - b. Length: 1
 - c. Description: This element contains the roundout unit equipment on hand level code.
 - d. Reported Transaction: ROUNDOUT set (USMTF) field RUEOH
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_ROUNT_STAT
- G.126 ROUNT_ER (UNIT ROUNDOUT EQUIPMENT READINESS C-LEVEL CODE)
- a. Type: Variable Length Character
 - b. Length: 1
 - c. Description: This element contains the roundout unit equipment condition category level code.
 - d. Reported Transaction: ROUNDOUT set (USMTF) field RUER
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_ROUNT_STAT
- G.127 ROUNT_NAME (UNIT ROUNDOUT ABBREVIATED UNIT NAME)
- a. Type: Variable Length Character
 - b. Length: 12
 - c. Description: This element contains the name of the roundout unit.
 - d. Reported Transaction: ROUNDOUT set (USMTF) field RUNAME
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_ROUNT_STAT
- G.128 ROUNT_OVAL (UNIT ROUNDOUT OVERALL C-LEVEL CODE)
- a. Type: Variable Length Character
 - b. Length: 1
 - c. Description: This element contains the roundout unit

- overall C-level code.
 - d. Reported Transaction: ROUNDOUT set (USMTF) field RUOVAL
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_ROUND_STAT
- G.129 ROUND_PER (UNIT ROUNDOUT PERSONNEL C-LEVEL CODE)
- a. Type: Variable Length Character
 - b. Length: 1
 - c. Description: This element contains the roundout unit personnel category level code.
 - d. Reported Transaction: ROUNDOUT set (USMTF) field RUPER
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_ROUND_STAT
- G.130 ROUND_TR (UNIT ROUNDOUT TRAINING READINESS C-LEVEL CODE)
- a. Type: Variable Length Character
 - b. Length: 1
 - c. Description: This element contains the roundout unit training category level code.
 - d. Reported Transaction: ROUNDOUT set (USMTF) field RUTR
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_ROUND_STAT
- G.131 R_AFF (UNIT REGIMENTAL AFFILIATION IDENTIFIER)
- a. Type: Variable Length Character
 - b. Length: 6
 - c. Description: This element contains the UIC of the regiment with which the reported unit is affiliated.
 - d. Reported Transaction: ABIDE set (USMTF) field RAFF
 - e. Relationships to Other Data Elements:
 - f. Table Member: UNIT
- G.133 SEQKEY (FORSCOM UNIT READINESS REPORTING SEQUENCE SORT KEY IDENTIFIER)
- a. Type: Number
 - b. Length: 4
 - c. Description: This element contains the assigned sequence sort key number for the unit status report for the reported unit.
 - d. Reported Transaction: ABIDE set (USMTF)
 - e. Relationships to Other Data Elements:
 - f. Table Member: UNIT
- G.134 SGPER (UNIT PERSONNEL AVAILABLE SENIOR GRADE PERCENT)

- a. Type: Number
 - b. Length: 3
 - c. Description: This element contains the available senior grade percentage.
 - d. Reported Transaction: PERSDATA set (USMTF)
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_ARMY_STAT_RPT
- G.135 SGRAT (PERSONNEL COMPUTED AVAILABLE SENIOR GRADE PERCENTAGE RATING CODE)
- a. Type: Variable Length Character
 - b. Length: 1
 - c. Description: This element contains the computed level of senior grade percentage.
 - d. Reported Transaction: None
 - e. Relationships to Other Data Elements: Computed based on the contents of field SGPER
 - f. Table Member: UN_ARMY_STAT_RPT
- G.136 SORTS_RPTG_ROLE_CD (STATUS OF RESOURCES AND TRAINING REPORTING ROLE CODE)
- a. Type: Variable Length Character
 - b. Length: 1
 - c. Description: This element contains the SORTS reporting role code.
 - d. Reported Transaction: The source of this field could not be determined.
 - e. Relationships to Other Data Elements:
 - f. Table Member: UNIT
- G.137 SR_PRCNSG_STAT (UNIT STATUS REPORT PROCESSING STATUS)
- a. Type: Variable Length Character
 - b. Length: 1
 - c. Description: This element contains the status of the unit processed reports.
 - d. Reported Transaction:
 - e. Relationships to Other Data Elements:
 - f. Table Member: ASORTS_USR_STAT
- G.137 SRC (UNIT STANDARD REQUIREMENT CODE)
- a. Type: Variable Length Character
 - b. Length: 12
 - c. Description: This element contains the standard requirement code that is integral to the

- reported unit.
 - d. Reported Transaction: ABIDE set (USMTF)
 - e. Relationships to Other Data Elements:
 - f. Table Member: UNIT
- G.138 SRPLS_MOS_GRD_CD (UNIT REPORTED SURPLUS PERSONNEL MILITARY OCCUPATIONAL SPECIALTY GRADE CODE)
 - a. Type: Variable Length Character
 - b. Length: 2
 - c. Description: This element contains the surplus personnel military occupational specialty grade code.
 - d. Reported Transaction: LABELID PRRES set (USMTF) field GRADE
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_SRPLS_PERS
- G.139 SRPLS_MOS_GRD_QTY (UNIT REPORTED MILITARY OCCUPATIONAL SPECIALTY GRADE SURPLUS PERSONNEL QUANTITY)
 - a. Type: Number
 - b. Length: 3
 - c. Description: This element contains the quantity of surplus personnel.
 - d. Reported Transaction: LABELID PRRES set (USMTF) field TOTSURPLUS
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_SRPLS_PERS
- G.140 SRPLS_PERSL_MOS_CD (UNIT REPORTED SURPLUS PERSONNEL MILITARY OCCUPATIONAL SPECIALTY CODE)
 - a. Type: Variable Length Character
 - b. Length: 5
 - c. Description: This element contains the MOS code for surplus personnel.
 - d. Reported Transaction: LABELID PRRES set (USMTF) field MOS
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_SRPLS_PERS
- G.141 STATC (ORGANIZATION PERSONNEL READINESS STATUS CODE)
 - a. Type: Variable Length Character
 - b. Length: 2
 - c. Description: This element contains the personnel status code that classifies the reported unit.
 - d. Reported Transaction: ABIDE set (USMTF)

- e. Relationships to Other Data Elements:
 - f. Table Member: UNIT
- G.142 TAADS (UNIT PARENT DESIGNATOR CODE)
- a. Type: Variable Length Character
 - b. Length: 1
 - c. Description: This element contains the code to indicate that the reported unit is supported by an authorization document.
 - d. Reported Transaction: ABIDE set (USMTF)
 - e. Relationships to Other Data Elements:
 - f. Table Member: UNIT
- G.143 TAEDP_MACOM (ARMY EQUIPMENT DISTRUBUTION PLAN MAJOR COMMAND IDENTIFIER)
- a. Type: Variable Length Character
 - b. Length: 6
 - c. Description: This element contains the UIC of the equipment plan major command identifier.
 - d. Reported Transaction: The source of this data could not be determined.
 - e. Relationships to Other Data Elements:
 - f. Table Member: UNIT
- G.144 TAPFOR (ARMY REPORTING INSTALLATION FORSTAT CODE)
- a. Type: Variable Length Character
 - b. Length: 4
 - c. Description: This element contains the code that indicates the Army Reporting Installation FORSTAT for the reported unit.
 - d. Reported Transaction: ABIDE set (USMTF)
 - e. Relationships to Other Data Elements:
 - f. Table Member: UNIT
- G.145 TPSN5 (UNIT TROOP PROGRAM SEQUENCE BASIC NUMBER)
- a. Type: Variable Length Character
 - b. Length: 5
 - c. Description: This element contains the first five characters of the field TPSN.
 - d. Reported Transaction: BIDE set (USMTF) field TPSN
 - e. Relationships to Other Data Elements: BIDE
 - f. Table Member: UNIT
- G.146 TPSNCD (FORSCOM TROOP PROGRAM SEQUENCE NUMBER IDENTIFICATION CODE)

- a. Type: Variable Length Character
- b. Length: 1
- c. Description: This element contains the troop program sequence number identifier code for the reported unit.
- d. Reported Transaction: ABIDE set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UNIT

G.147 TWRC1 (TRAINING REQUIRED DURATION IN DAYS)

- a. Type: Variable Length Character
- b. Length: 2
- c. Description: This element contains the number of days require to complete training to overcome training shortfall.
- d. Reported Transaction: TRAINDAT set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UN_ARMY_STAT_RPT

G.148 UIC (UNIT IDENTIFICATION CODE)

- a. Type: Variable Length Character
- b. Length: 6
- c. Description: This element contains the Unit Identification Code of the reported unit.
- d. Reported Transaction: RPTDUIC set (USMTF)
- e. Relationships to Other Data Elements:
- f. Table Member: UNIT, UN_ARMY_STAT_RPT,
UN_CRTCL_EQ_OR_PCT, UN_NON_DPLYBL_PERS
UN_RPTD_ASI_SHRTG, UN_RPTD_ENVRN_TNG
UN_RPTD_EQ_RPLCMNT, UN_RPTD_GRD_STRN
UN_RPTD_LIC_SHRTG, UN_RPTD_MOS_SHRTG
UN_RPTD_NBCEQ_SLVL, UN_RPTD_OH_EQ_SHRT
UN_RPTD_PIE_OR_PCT, UN_RPTD_PIE_STAT
UN_RPTD_ROUNT_STAT, UN_RPTD_S4_MSRD_EQ
UN_RPTD_SQI_SHRTG, UN_RPTD_SRPLS_PERS
ASORTS_NAR_RMK_TXT, ASORTS_USR_STAT

G.149 UNIT_AUTH_DOC_NBR (UNIT AUTHORIZATION DOCUMENT NUMBER)

- a. Type: Variable Length Character
- b. Length: 10
- c. Description: This element contains either the Modification Table of Organization and Equipment number or the Table of Distribution and Allowances number for the reported unit.
- d. Reported Transaction: READYSEG set (USMTF)

- e. Relationships to Other Data Elements:
 - f. Table Member: UN_ARMY_STAT_RPT (MTOE) or (TDA)
- G.150 UNIT_ORG_EFF_DATE (UNIT ORGANIZATION EFFECTIVE DATE)
- a. Type: Date
 - b. Length: N/A
 - c. Description: This element contains the organization effective date for the reported unit.
 - d. Reported Transaction: The source of this element could not be determined.
 - e. Relationships to Other Data Elements:
 - f. Table Member: UNIT
- G.151 UNIT_ORG_TYP_CD (UNIT BASIC ORGANIZATION TYPE CODE)
- a. Type: Variable Length Character
 - b. Length: 1
 - c. Description: This element contains the basic organization type code.
 - d. Reported Transaction: None
 - e. Relationships to Other Data Elements: Derived from the UIC of the unit.
 - f. Table Member: UNIT
- G.152 UNR (UNIT NUMBER)
- a. Type: Variable Length Character
 - b. Length: 4
 - c. Description: This element contains the first 4 character of element ANAME.
 - d. Reported Transaction: None
 - e. Relationships to Other Data Elements: ANAME
 - f. Table Member: UNIT
- G.153 UN_ACTL_ACTVTN_DT (UNIT ACTUAL ACTIVATION DATE)
- a. Type: Date
 - b. Length: N/A
 - c. Description: This element contains the actual activation date of the reported unit.
 - d. Reported Transaction: None
 - e. Relationships to Other Data Elements:
 - f. Table Member: UNIT
- G.154 UN_AUTH_LIC (UNIT AUTHORIZED PERSONNEL POSITION LANGUAGE INDICATOR CODE)
- a. Type: Variable Length Character

- b. Length: 2
 - c. Description: This element contains the language indicator code authorized.
 - d. Reported Transaction: 2LANGAGE set (USMTF) field AUTHLIC
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_LIC_SHRTG
- G.155 UN_AUTH_LIC_MOS_CD (UNIT AUTHORIZED PERSONNEL POSITION SPECIAL LANGUAGE CAPABILITY MILITARY OCCUPATIONAL CODE)
- a. Type: Variable Length Character
 - b. Length: 3
 - c. Description: This element contains the language indicator code MOS.
 - d. Reported Transaction: 2LANGAGE set (USMTF) field LICMOS
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_LIC_SHRTG
- G.156 UN_AUTH_SQI_CD (UNIT AUTHORIZED PERSONNEL POSITION SPECIAL QUALIFICATION IDENTIFIER CODE)
- a. Type: Variable Length Character
 - b. Length: 1
 - c. Description: This element contains the additional skill identifier for which strength information is being reported.
 - d. Reported Transaction: 2ADDSKIL set (USMTF) field ASI
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_SQI_SHRTG
- G.157 UN_EQ_AUTH_QTY (UNIT REPORTED EQUIPMENT ITEM AUTHORIZED QUANTITY)
- a. Type: Number
 - b. Length: 3
 - c. Description: This element contains the quantity authorized for this item.
 - d. Reported Transaction: 2EOHSHRT set (USMTF) field QTYAUTH
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_OH_EQ_SHRT
- G.158 UN_EQ_OH_QTY (UNIT REPORTED EQUIPMENT ITEM ON-HAND QUANTITY)
- a. Type: Number
 - b. Length: 3
 - c. Description: This element contains the quantity of the

- equipment item on-hand.
 - d. Reported Transaction: 2EOHSHRT set (USMTF) field QTYOH
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_OH_EQ_SHRT
- G.159 UN_EQ_REQD_QTY (UNIT REPORTED EQUIPMENT ITEM REQUIRED QUANTITY)
 - a. Type: Number
 - b. Length: 3
 - c. Description: This element contains the quantity of the equipment item required.
 - d. Reported Transaction: 2EOHSHRT set (USMTF) field QTYREQ
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_OH_EQ_SHRT
- G.160 UN_EQ_RPLCMNT_CAT (UNIT REPORTED EQUIPMENT REPLACEMENT ITEM CATEGORY)
 - a. Type: Variable Length Character
 - b. Length: 20
 - c. Description: This element contains the equipment replacement item category for the reported unit.
 - d. Reported Transaction: LABELID ESRAT set (USMTF)
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_EQ_RPLCMNT
- G.161 UN_EQ_RPLCMNT_LIN (UNIT REPORTED EQUIPMENT REPLACEMENT LINE ITEM NUMBER)
 - a. Type: Variable Length Character
 - b. Length: 6
 - c. Description: This element contains the reported equipment replacement line item number.
 - d. Reported Transaction: LABELID ESRAT set (USMTF)
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_EQ_RPLCMNT
- G.162 UN_EQ_SHRTG_LIN (UNIT REPORTED EQUIPMENT ITEM SHORTAGE LINE NUMBER)
 - a. Type: Variable Length Character
 - b. Length: 6
 - c. Description: This element contains the equipment line item number.
 - d. Reported Transaction: 2EOHSHRT set (USMTF) field EQLIN
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_OH_EQ_SHRT

- G.163 UN_LIC_ASGD_QTY (UNIT PERSONNEL POSITION SPECIAL LANGUAGE CAPABILITY ASSIGNED QUANTITY)
- a. Type: Number
 - b. Length: 2
 - c. Description: This element contains the number of personnel assigned to the unit who possess the language indicator code of the associated record.
 - d. Reported Transaction: 2LANGUAGE set (USMTF) field LICASGD
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_LIC_SHRTG
- G.164 UN_LIC_QLFD_QTY (UNIT SPECIAL LANGUAGE CAPABILITY QUALIFIED PERSONNEL QUANTITY)
- a. Type: Number
 - b. Length: 2
 - c. Description: This element contains the number of personnel qualified in the language indicator code of the associated record.
 - d. Reported Transaction: 2LANGUAGE set (USMTF) field LICQUAL
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_LIC_SHRTG
- G.165 UN_LIC_REQD_QTY (UNIT PERSONNEL POSITION SPECIAL LANGUAGE CAPABILITY REQUIRED QUANTITY)
- a. Type: Number
 - b. Length: 2
 - c. Description: This element contains the number of personnel required to possess the language indicator code of the associated record.
 - d. Reported Transaction: 2LANGUAGE set (USMTF) field LICREQ
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_LIC_SHRTG
- G.166 UN_PLND_AVLBLTY_DT (UNIT PLANNED AVAILABILITY DATE)
- a. Type: Number
 - b. Length: 4
 - c. Description: This element contains the planned availability date for the reported unit.
 - d. Reported Transaction: None
 - e. Relationships to Other Data Elements:
 - f. Table Member: UNIT

- G.167 UN_PRSENT_GEO_COORD (UNIT PRESENT LOCATION GEOGRAPHIC COORDINATES)
- a. Type: Variable Length Character
 - b. Length: 15
 - c. Description: This element contains latitude and longitude geographic coordinates of a reporting unit.
 - d. Reported Transaction:
 - e. Relationships to Other Data Elements:
 - f. Table Member: UNIT
- G.167 UN_PRSENT_LOC_APO (UNIT PRESENT LOCATION ARMY POST OFFICE WORLD AREA CODE)
- a. Type: Variable Length Character
 - b. Length: 2
 - c. Description: This element contains the present APO world area code for the reported unit.
 - d. Reported Transaction: None
 - e. Relationships to Other Data Elements:
 - f. Table Member: UNIT
- G.168 UN_PRSENT_LOC_ZIP (UNIT PRESENT LOCATION ZONING IMPROVEMENT PLAN U.S. POSTAL DISTRIBUTION CODE)
- a. Type: Variable Length Character
 - b. Length: 9
 - c. Description: This element contains the ZIP code or Army Post Office designator for the reported unit.
 - d. Reported Transaction: ABIDE set (USMTF)
 - e. Relationships to Other Data Elements:
 - f. Table Member: UNIT
- G.169 UN_RPTD_SEQ_NBR (UNIT REPORTED INFORMATION SEQUENCE NUMBER)
- a. Type: Number
 - b. Length: 2
 - c. Description: This element contains the sequence number of the reported information.
 - d. Reported Transaction: LABELID PRRES set (USMTF) field DE
2ERCFOUR set (USMTF) field DE
2PSPER set (USMTF) field DE
2PIERRAT set (USMTF) field DE
2EOHSHRT set (USMTF) field DE
2LANGAGE set (USMTF) field DE
2ADDSKIL set (USMTF) field DE

- 2EOHSHRT set (USMTF)
 - 2ADDSKIL set (USMTF)
 - 2PIESTAT set (USMTF)
 - 2ERCERRT set (USMTF)
 - 2RQPER set (USMTF)
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_SRPLS_PERS, UN_RPTD_GRD_STRN
UN_RPTD_PIE_OR_PCT, UN_RPTD_OH_EQ_SHRT
UN_RPTD_LIC_SHRTG, UN_RPTD_ASI_SHRTG
UN_RPTD_SQI_SHRTG, UN_RPTD_PIE_STAT
UN_CRTCL_EQ_OR_PCT, UN_RPTD_MOS_SHRTG
UN_RPTD_S4_MSRD_EQ
- G.170 UN_S4_EQ_AUTH_QTY (UNIT REPORTED ON-HAND EQUIPMENT
MEASURED RESOUC E LEVEL FOUR AUTHORIZATION QUANTITY)
- a. Type: Number
 - b. Length: 3
 - c. Description: This element contains the quantity of Code
A items authorized.
 - d. Reported Transaction: 2ERCFOUR set (USMTF) field
ERAAUTH
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_S4_MSRD_EQ
- G.171 UN_S4_EQ_ITEM_LIN (UNIT REPORTED ON-HAND EQUIPMENT
MEASURED RESOUC E LEVEL FOUR ITEM LINE NUMBER)
- a. Type: Variable Length Character
 - b. Length: 6
 - c. Description: This element contains the equipment or
pacing item line item number.
 - d. Reported Transaction: 2ERCFOUR set (USMTF) field
ERCA4LIN
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_S4_MSRD_EQ
- G.172 UN_S4_EQ_OH_QTY (UNIT REPORTED ON-HAND EQUIPMENT
MEASURED RESOUC E LEVEL FOUR ON-HAND QUANTITY)
- a. Type: Number
 - b. Length: 3
 - c. Description: This element contains the quantity of Code
A items on hand.
 - d. Reported Transaction: 2ERCFOUR set (USMTF) field ERCAOH
 - e. Relationships to Other Data Elements:
 - f. Table Member: UN_RPTD_S4_MSRD_EQ
- G.173 UN_S4_EQ_REQD_QTY (UNIT REPORTED ON-HAND EQUIPMENT ITEM

MEASURED RESOURCE LEVEL FOUR REQUIRED QUANTITY)

- a. Type: Number
- b. Length: 3
- c. Description: This element contains the quantity of Code
A items required.
- d. Reported Transaction: 2ERCFOUR set (USMTF) field
ERCAREQ
- e. Relationships to Other Data Elements:
- f. Table Member: UN_RPTD_S4_MSRD_EQ

G.174 UN_SQI_ASGD_QTY (UNIT PERSONNEL POSITION SPECIAL
QUALIFICATION ASSIGNED QUANTITY)

- a. Type: Number
- b. Length: 4
- c. Description: This element contains the number of
assigned personnel who possess the
additional skill identifier for the
associated record.
- d. Reported Transaction: 2ADDSKIL set (USMTF) field ASGD
- e. Relationships to Other Data Elements:
- f. Table Member: UN_RPTD_SQI_SHRTG

G.175 UN_SQI_AUTH_QTY (UNIT PERSONNEL POSITION SPECIAL
QUALIFICATION AUTHORIZATION QUANTITY)

- a. Type: Number
- b. Length: 4
- c. Description: This element contains the number of
personnel authorized to possess the
additional skill identifier for the
associated record.
- d. Reported Transaction: 2ADDSKIL set (USMTF) field ASGD
- e. Relationship to Other Data Elements:
- f. Table Member: UN_RPTD_SQI_SHRTG

G.176 UN_SQI_REQD_QTY (UNIT PERSONNEL POSITION SPECIAL
QUALIFICATION REQUIRED QUANTITY)

- a. Type: Number
- b. Length: 4
- c. Description: This element contains the number of
personnel required to possess the
additional skill identifier.
- d. Reported Transactions: 2ADDSKIL set (USMTF) field REQ
- e. Relationships to Other Data Elements:
- f. Table Member: UN_RPTD_SQI_SHRTG

THIS PAGE INTENTIONALLY LEFT BLANK